



TECHNICAL SHEET

PROFILING MINI-PROF

KNS-SCHLEBACH MP




PROFILING OPTIONS:






DESCRIPTION:

Universal machine for novice users or as a backup machine for on-site work to produce double standing groove profiles 25 from blanks or cut lengths in one pass.

Parameters of the processed sheet metal	
Thickness	TiZn – do 0,80 mm Cu – do 0,80 mm Al – do 0,80 mm Pzn – do 0,65 mm Stainless steel – do 0,50 mm
Min./max. coil width	240/850 mm
Min. production length	500 mm



Parameters and properties of the profiling machine	
Machine length	1200 mm
Machine width	1400 mm
Machine height	850 – 1050 mm
Height of the input sheet	670 – 870 mm
Distance between axes	170 – 780 mm
Profiling speed	8,5 m/min
Machine drive	230 V, 50 Hz, 1-phase
Powe input	1,1 kW
Weight	220 kg

INDEX CHANGE	DATE	SIGNATURE	 	SCALE
MATERIAL BRAND			NOTE	POSITION NUMBER
SIZE, SEMI-FINISHED PRODUCTS				
AUXILIARY EQUIPMENT			OLD DRAWING	DRAWING NUMBER
ELABORATED BY Ing. Kluska M.			DRAWING NUMBER	
TESTED BY			DRAWING NUMBER	
TECHNOLOGIST			DRAWING NUMBER	
NAME			DRAWING NUMBER	
Profiling MINI-PROF			KNS-SCHLEBACH MP	
			Number of sheets	Sheet 

Created: 05.06.2026 18:19:38

Technical changes reserved