

TECHNICAL SHEET

TPO/FPO INTERNAL CORNER

BAU S-FPO IE

Internal corner for window sills and joints, 90°.

An internal corner made of polypropylene, designed to enhance the waterproofing reliability of FPO/TPO roofing membranes in critical areas.

These products are designed for installation in 90-degree corners and can be heated and adjusted to fit corners above and below 90 degrees.



Technical parameter	
Application method	hot air welding at a temperature of approximately 380 °C
Material	FPO-PP
Colour	mouse grey, similar to RAL 7001
Length	95 mm
Width	95 mm
Height	95 mm
Thickness	2,00 mm

INDEX CHANGE		DATE	SIGNATURE	  	
MATERIAL BRAND			W.C.	WEIGHT kg	SCALE
SIZE, SEMI-FINISHED PRODUCTS					
AUXILIARY EQUIPMENT			STN STANDARD		SORTING NUMBER
ELABORATED BY Ing. Kluska M.			NOTE		POSITION NUMBER
TESTED BY					
TECHNOLOGIST		TECHNOLOGIST	OLD DRAWING		DRAWING NUMBER
NAME			TPO/FPO internal corner Number of sheets BAU S-FPO IE Sheet 		

Created: 21.04.2026 17:27:09

Technical changes reserved