

TECHNICAL SHEET

# TPO/FPO INTERNAL CORNER

# BAU S-FPO IE





Internal corner for window sills and joints, 90°.

An internal corner made of polypropylene, designed to enhance the waterproofing reliability of FPO/TPO roofing membranes in critical areas.

These products are designed for installation in 90-degree corners and can be heated and adjusted to fit corners above and below 90 degrees.



Technical parameter	
Application method	hot air welding at a temperature of approximately 380 °C
Material	FPO-PP
Colour	mouse grey, similar to RAL 7001
Length	95 mm
Width	95 mm
Height	95 mm
Thickness	2,00 mm

INDEX CHANGE		DATE	SIGNATURE	  	
MATERIAL BRAND			W.C.	WEIGHT kg	SCALE
SIZE, SEMI-FINISHED PRODUCTS			STN STANDARD		SORTING NUMBER
AUXILIARY EQUIPMENT			NOTE		POSITION NUMBER
ELABORATED BY Ing. Kluska M.			OLD DRAWING		DRAWING NUMBER
TESTED BY			TECHNOLOGIST		
NAME			TPO/FPO internal corner		Number of sheets
					BAU S-FPO IE Sheet 

Created: 06.06.2026 17:40:18

Technical changes reserved