

TECHNICAL SHEET

TPO/FPO INTERNAL CORNER

BAU S-FPO IE





Internal corner for window sills and joints, 90°.

An internal corner made of polypropylene, designed to enhance the waterproofing reliability of FPO/TPO roofing membranes in critical areas.

These products are designed for installation in 90-degree corners and can be heated and adjusted to fit corners above and below 90 degrees.



Technical parameter	
Application method	hot air welding at a temperature of approximately 380 °C
Material	FPO-PP
Colour	mouse grey, similar to RAL 7001
Length	95 mm
Width	95 mm
Height	95 mm
Thickness	2,00 mm

INDEX CHANGE		DATE	SIGNATURE	  
MATERIAL BRAND		W.C.	WEIGHT kg	SCALE
SIZE, SEMI-FINISHED PRODUCTS				
AUXILIARY EQUIPMENT		STN STANDARD	SORTING NUMBER	
ELABORATED BY Ing. Kluska M.		NOTE		POSITION NUMBER
TESTED BY				
TECHNOLOGIST	TECHNOLOGIST	OLD DRAWING	DRAWING NUMBER	
NAME		TPO/FPO internal corner		Number of sheets
				BAU S-FPO IE Sheet 

Created: 06.06.2026 17:08:47

Technical changes reserved